
# Catalogue Ceiling and Floor Fans





## Premium pages 12-17 Sophisticated design with

high-quality technology.




Modern pages 18-31 Enriches any

contemporary design style.




Classic pages 32-37 Models that are both

timeless and elegant.



### Traditional pages 38-45

Attention to detail and a hint of nostalgia.



Industrial pages 52-55

Long-lasting and reliable ceiling fans for commercial use.



### Basic pages 46-51

Simple models that can be used in many different ways.



### Floor fans pages 58-61

The new Westinghouse floor fans set new standards for manufacturing quality, performance and design.





Ceiling Fans - The Right Model For Every Room06-07
Summer and Winter Operation of a Ceiling Fan08-09
Save Energy with Ceiling Fans10-11
Ceiling Fans Premium
FANtastic14
Solana
Lenerco
Delancey17
Modern
Bendan Models 20-21
Wengue
Alloy
Celestia23
Celestia II23
Combo24
Helix Fusion25
Cumulus25
Techno
Arius26
Audubon27
Flora Royale27
Jet II
Jet Plus 28
Jet I
Havanna
Airplane30 Hercules Models31
nercules Models
Classic
Lavada34
Princess Euro34
Pearl
Kingston35
Cyclone36
Comet Models 37

Traditional	
Athena	40
Everett	40
Jasmine	41
Princess Radiance II	41
Monarch Models	42-43
Nevada	43
Princess Trio Models	44-45
Comet Tiffany	45
Basic	
Vegas Models	48
Portland Ambiance Models	49
Capitol	50
Turbo Swirl	50
Turbo II	51
Industrial	
Industrial Models	
ilidustriai Models	.54-55
Accessories for Ceiling Fans	.54-55
Accessories for Ceiling Fans	56
Accessories for Ceiling Fans Remote & Wall Controls Down rods	56 57
Accessories for Ceiling Fans Remote & Wall Controls Down rods	56 57
Accessories for Ceiling Fans Remote & Wall Controls Down rods	56 57
Accessories for Ceiling Fans Remote & Wall Controls Down rods  Floor Fans Yucon Models Highland I	56 57
Accessories for Ceiling Fans Remote & Wall Controls  Down rods  Floor Fans Yucon Models  Highland I  Specifications	56 57 60
Accessories for Ceiling Fans Remote & Wall Controls Down rods  Floor Fans Yucon Models Highland I	56 57 60

## Ceiling Fans – The Right Model For Every Room





#### **Low Ceilings**

In rooms with low profile ceilings, only flat ceiling fans or models without a down rod (hugger) should be installed.

#### **Standard Ceilings**

In rooms with a ceiling height of 2,50 meters, all ceiling fans can be installed with or without a down rod, as well as with an extension rod.

For rooms up to:	12 sqm	Use 76cm - 90cm ceiling fans.
For rooms up to:	15 sqm	Use 105cm ceiling fans.
For rooms up to:	20 sqm	Use 112cm - 122cm ceiling fans.
For rooms up to:	25 - 30 sqm	Use 132cm ceiling fans and larger.
For rooms bigger than	: 30 sqm	The use of more than one ceiling fan is recommended.





#### **High Ceilings**

In rooms with high ceilings, ceiling fans should be installed with an extension down rod.

#### **Angled Ceilings**

In rooms with angled ceilings, ceiling fans should also be installed with an extension down rod (using a remote control limits the tilt angle).

## Summer and Winter Operation of a Ceiling Fan

#### Ceiling area

26°C - 24°C



#### Center of the room

24°C - 25°C

#### Bottom room area

22°C - 24°C



#### Winter mode: goodbye to cold feet

In winter mode, Westinghouse ceiling fans are switched to the clockwise direction. As a result, the warm air that collects near the ceiling is distributed evenly throughout the room, and cold spots and drafts are eliminated. It dramatically increases your comfort level without raising the temperature - and it means big savings on heating costs.

#### Ceiling area

30°C - 25°C



#### Center of the room

29°C - 25°C

#### Bottom room area

28°C - 25°C



#### Summer mode: a pleasant, gentle breeze

In the summer, Westinghouse ceiling fans keep your home pleasantly cool; the ceiling fan runs in reverse, in other words counterclockwise. It sets the air in motion, and the airflow creates evaporation chill on your skin. That means even when the weather is hot, the indoor temperature feels pleasant.

## Save Energy with Ceiling Fans




Households use a lot of energy: to light up our own four walls, for electrical appliances, for heating in the winter and cooling in the summer - which puts a strain on the climate as well as our purses. That is why Westinghouse is developing ceiling fans to help protect our available resources. Most of the models only use less power as a 100-watt light bulb to protect our environment and your wallet in the long term.

#### The right size is important

In order to ensure completely energy-efficient operation, make sure the size of the ceiling fan is appropriate for the size and height of your room. If the ceiling fan is too small for the room, it has to run at a higher speed in order to be effective. That wastes energy.

#### Modern DC motors are more economical

Westinghouse is setting new quality standards: The FANtastic, Delancey and Lenerco models already come equipped with an economical DC motor. You save up to 65% on operating costs compared to an AC motor, and you can choose from 6 speeds instead of 3.



#### Fast, quiet and long-lasting

Because of its larger diameter, the modern DC motor has a higher torque in the magnetic field. That means it reaches the necessary speed faster than a conventional motor, and it is extremely balanced and quiet despite the higher output. There is no compromising on quality, either: we provide our standard 10-year guarantee for the DC motors as well.

#### Retrofitting ceiling fans with LED technology

The use of modern LED lamps means energy savings of up to 90% compared to conventional light bulbs. Replace a 40-watt, 600-lumens bulb with a 7.7-watt LED lamp and save cash. See for yourself:

Ø Average working life per day per annum	Costs per year: Light bulb	Costs per year: LED	Saving per year
2h	7,18 €	1,15 €	6,03 €
5h	19,65 €	3,78 €	15,87 €
8h	31,50 €	6,05 €	25,45 €

(Basis of calculation: 27.30 Cent per kWh, Status January 8th 2014, Source Verivox.de)

#### Rely on LED technology for your new purchases

The new Westinghouse ceiling fans, the FANtastic, Athena and Hercules Supreme, come factory-equipped with LED lamps. At just 17.5 watts, they are very economical. In addition, 1200 lumenss and 2700 Kelvin provide a very pleasant light. Some other advantages of LED lights:

- ✓ No warm-up time bright light, instantly
- ✓ Long lifespan
- Many switching cycles
- ✓ No harmful materials (no hazardous waste removal required)
- ✓ Low heat generation

We use the following symbols to indicate the most important energy-saving features:











Image: Lenerco



## Premium

Sophisticated design with high-quality technology.



Fan finish: brushed chrome

Silver blades

Single light fixture with opal frosted glass 1 x 17,5W LED Light kit (not interchangeable)

Includes remote control and reverse switch






#### **LED Specifications:**

· dimmable: no · lumens: 1200

· lifetime: 25000h = 25 years at 3h use per day

· color temperature: 2700 Kelvin


· Energy efficiency: A+



Fan finish: brushed nickel
Wengue blades
Single light fixture with opal frosted glass
2 x E14, each max. 40W (not included)
Includes remote control and reverse switch

For rooms up to 20 sqm






Fan finish: chrome
Silver/graphite blades
2 x E27, each max. 13W (not included)
Includes remote control and reverse switch







Fan finish: brushed chrome
Silver blades, rotated
Single light fixture with opal frosted glass
2 x E27, each max. 13W (not included)
Includes remote control and reverse switch













## Modern

Enriches any contemporary design style.

## Bendan

72557 Ø 132 cm/52"



Fan finish: satin chrome Wengue blades Single disc light fixture

1 x R7, max. 80W (included)

Includes remote control and reverse switch



For rooms up to 25 - 30 sqm

## Bendan

72220 Ø 132 cm/52"



Fan finish: satin chrome Silver blades

Single disc light fixture 1 x R7, max. 80W (included)

Includes remote control and reverse switch







Fan finish: dark pewter
Applewood blades
Single disc light fixture
1 x R7, max. 80W (included)
Includes remote control and reverse switch



## Wengue

78763 Ø 76 cm/30"





Fan finish: chrome
Wengue/beech blades
Single light fixture with opal frosted glass
1 x R7, max. 80W (included)
With pull chain
Remote/wall control adaptable

Including reverse switch For rooms up to 12 sqm



## Alloy

78764 Ø 105 cm/42"



Fan finish gun metal
Black/graphite blades
Single light fixture with opal frosted glass
1 x R7, max. 80W (included)
Remote/wall control adaptable

Including reverse switch

For rooms up to 15 sqm





## Celestia

72530 Ø 112 cm/44"




Fan finish: chrome
Wengue blades
Single light fixture with opal frosted glass
2 x E27, each max. 11W, CFL 3U type (included)
Not adaptable for down rods
Includes remote control and
reverse switch



## Celestia II





Fan finish: brushed steel
Catalpa wood/walnut blades
Single light fixture with opal frosted glass
2 x E27, each max. 11W (not included)
Includes remote control and reverse switch

For rooms up to 25 - 30 sqm



#### Dual

#### Installation Option:

- $\cdot$  directly under the ceiling
- $\cdot \text{ with down rod} \\$





Including reverse switch

With pull chain

For rooms up to 25 - 30 sqm

Remote/wall control adaptable







#### Fan finish: white

White/white washed pine blades 1 x R7, max. 80W (included) Includes remote control and reverse switch

For rooms up to 20 sqm



## Techno

78270 Ø 132 cm/52"



#### **LED Specifications:**

· dimmable: no · lumens: 1200

· lifetime: 25000h = 25 years at 3h use per day

· color temperature: 2700 Kelvin

· Energy efficiency: A+

Fan finish: titanium Titanium ABS blades

Single light fixture with opal frosted glass 1 x 10W LED Light kit (not interchangeable) Includes remote control and reverse switch

For rooms up to 25 - 30 sqm



72559 Ø 132 cm/52"



Fan finish: chrome White/black blades Light fixture with opal frosted glass 5 x E14, 3U type, each max. 9W (not included) Includes remote control and reverse switch





## Audubon

78525 Ø 122 cm/48"



Fan finish: brushed nickel
Weathered maple/silver blades
3 x GU 10 light fixture, each max. 50W (included)
With pull chain
Remote/wall control adaptable

Including reverse switch For rooms up to 20 sqm





## Flora Royale 78788 Ø 76 cm/30"



Fan finish: satin chrome
Silver/white blades
Single light fixture with opal frosted glass
1 x E27, max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch
For rooms up to 12 sqm

## Jet II

78261 Ø 105 cm/42"

Fan finish: white White/light maple blades With pull chain Remote/wall control adaptable

Including reverse switch

For rooms up to 15 sqm





## Jet I


72289 Ø 105 cm/42"

Fan finish: brushed nickel Wengue/silver blades With pull chain Remote/wall control adaptable

Including reverse switch

For rooms up to 15 sqm





Fan finish: brushed aluminum
Silver/graphite blades
Single disc light fixture
1 x R7, max. 80W (included)
Includes remote control and reverse switch





## Airplane

78174 Ø 105 cm/42"



## Hercules Supreme

78014





Fan finish: dark pewter/chrome Dark walnut/applewood blades Single light fixture with opal frosted glass 1 x 17,5W LED Light kit (not interchangeable) Includes remote control and reverse switch



For rooms up to 25 - 30 sqm

#### **LED Specifications:**

· dimmable: no

· lumens: 1200

· lifetime: 25000h = 25 years at 3h use per day

· color temperature: 2700 Kelvin

· Energy efficiency: A+

## Hercules



Beech/weathered maple blades Single disc light fixture 1 x R7, max. 80W (included) With pull chain Remote/wall control adaptable

Including reverse switch









Image: Lavada



## Classic

Models that are both timeless and elegant.

## Lavada

78007 Ø 122 cm/48"





Fan finish: satin chrome
Golden maple/weathered maple blades
Single light fixture with opal frosted glass
1 x R7, max. 80W (included)
Includes remote control and reverse switch



For rooms up to 20 sqm

## **Princess Euro**

78622 Ø 105 cm/42"



Fan finish: dark pewter/chrome
Silver/graphite blades
3 x GU 10 light kit, each max. 50W (included)
With pull chain
Remote/wall control adaptable

Including reverse switch

For rooms up to 15 sqm





## Pearl

78425 Ø 105 cm/42"



Fan finish: stainless steel Light maple/white blades 3 x GU 10 light kit, each max. 50 W (included) With pull chain Remote/wall control adaptable

Including reverse switch For rooms up to 15 sqm





## Kingston





Weathered maple/silver blades  $3 \times GU 10$ , each max. 50W (included) With pull chain

Remote/wall control adaptable

Including reverse switch

For rooms up to 15 sqm



## Cyclone



Fan finish: brushed steel
Black/black blades with silver stripes
With pull chain
Remote/wall control adaptable

Including reverse switch



## Comet



Light maple/white blades Single light fixture with opal frosted glass 2 x E14, each max. 40W (not included) With pull chain

Remote/wall control adaptable

Including reverse switch For rooms up to 25 - 30 sqm





## Comet

78017







Image: Athena



## Traditional

Attention to detail and a hint of nostalgia.





#### **LED Specifications:**

· dimmable: no · lumens: 1200

 $\cdot$  lifetime: 25000h = 25 years at 3h use per day

· color temperature: 2700 Kelvin

· Energy efficiency: A+

Fan finish: antique nickel
Walnut/larch blades
Single light fixture with opal frosted glass
1 x 17,5W LED Light kit (not interchangeable)
Includes remote control and reverse switch

For rooms up to 15 sqm



### **Everett**



Espresso/applewood blades
Single light fixture with scavo glass bowl
2 x E27, A type, each max. 60W (not included)
With pull chain
Wall control adaptable

Including reverse switch

For rooms up to 25 - 30 sqm





## Jasmine



Fan finish: dark pewter/chrome
Weathered maple blades
Single light fixture with mushroom glass
1 x E27, max. 60W (not included)
Includes remote control and reverse switch

For rooms up to 15 sqm



## Princess Radiance II



## Monarch Trio

78171 Ø 132 cm/52"



Fan finish: polished brass
Oak cane/mahogany blades
3 light fixture with frosted glass
3 x E14, each max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch
For rooms up to 25 - 30 sqm





## Monarch

78269 Ø 122 cm/48"





Fan finish: white
White/white cane blades
With pull chain
Remote/wall control adaptable

Including reverse switch
For rooms up to 20 sqm

## Monarch

78268





Fan finish: titanium Titanium/maple blades With pull chain Remote/wall control adaptable

Including reverse switch For rooms up to 20 sqm

## Nevada

78264 Ø 105 cm/42"



Fan finish: iron Walnut/cherry blades With pull chain Remote/wall control adaptable

Including reverse switch

For rooms up to sqm



## **Princess Trio**

78199 Ø 105 cm/42"





Fan finish: polished brass
Oak cane/mahogany blades
3 Light fixture with frosted glass
3 x E14, each max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch For rooms up to 15 sqm



## **Princess Trio**

78265 Ø 105 cm/42"



Fan finish: ancient brass
Oak/mahogany blades
3 Light fixture with frosted glass
3 x E14, each max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch

For rooms up to 15 sqm





## **Princess Trio**

78324 Ø 105 cm/42"



Fan finish: white with polished brass
White cane/white blades
3 Light fixture with frosted glass
3 x E14, each max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch For rooms up to 15 sqm





## **Comet Tiffany**

72485 Ø 132 cm/52"





Fan finish: espresso

Wengue/dark cherry blades Single light fixture with Tiffany bowl 3 x E14, each max. 60W (not included) With pull chain

Remote/wall control adaptable

Including reverse switch

For rooms up to 25 - 30 sqm







Image: Turbo Swirl



## Basic

Simple models that can be used in many different ways.

## Vegas

Ø 105 cm/42"



Fan finish: brushed aluminum Light maple/silver blades Single light fixture with opal glass 1 x E27, max. 60W (not included) With pull chain Remote/wall control adaptable

Including reverse switch For rooms up to 15 sqm





## Vegas





White/white washed pine blades Single light fixture with opal glass 1 x E27, max. 60W (not included) With pull chain

Remote/wall control adaptable

Including reverse switch For rooms up to 15 sqm



## Portland Ambiance

78321 Ø 90 cm/36"





Fan finish: chrome
White/black blades
Single light fixture with mushroom glass
1 x E27, max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch For rooms up to 12 sqm



## Portland Ambiance EL

78266 Ø 105 cm/42"



Fan finish: dark pewter
Weathered maple/silver blades
Single light fixture with opal glass
1 x E27, max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch

For rooms up to 15 sqm





## Capitol

78274 Ø 105 cm/42"



Fan finish: brushed steel
Silver/black blades
Single light fixture with open opal glass
1 x E27, max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch

For rooms up to 15 sqm







## Turbo Swirl

78158 Ø 76 cm/30"

Fan finish: titanium
Light maple blades
Single light fixture with opal glass
1 x E14, max. 60W (not included)
With pull chain
Remote/wall control adaptable

Including reverse switch

For rooms up to 12 sqm





2 blade sets (all included) One blade set in colors of young generation/ colors of youth The other set in maple/white Single light fixture with opal frosted glass 1 x E14, max. 60W (not included)

With pull chain

Fan finish: white

Remote/wall control adaptable

Including reverse switch

For rooms up to 12 sqm













Image: Industrial



## Industrial

Long-lasting and reliable ceiling fans also for commercial use.

## Industrial

78263 Ø 122 cm/48"

Fan finish: chrome Chrome (steel) blades With pull chain Remote/wall control adaptable

Including reverse switch
For rooms up to 20 sqm



## Industrial

78337 Ø 122 cm/48"



Fan finish: white White (steel) blades With pull chain Remote control adaptable


Including reverse switch
For rooms up to 20 sqm





## Industrial

For rooms bigger than: 30 sqm





## Industrial



# Remotes and Wall Controls



### Infrared remote control 78792

- · Suitable for all Westinghouse ceiling fans (except hugger models)
- $\cdot$  On/off switch for rotation, three speed levels
- $\cdot$  On/off switch for light, with dimmer function
- · Battery-operated (2 AA batteries, not included)
- · Receiver and wall bracket included



### Infrared remote control 77843

- · Suitable for all Westinghouse ceiling fans (except hugger models)
- · On/off switch for rotation, four speed levels
- $\cdot$  On/off switch for light, no dimmer function
- · Battery-operated (2 AAA 1.5V batteries, not included)
- · Receiver and wall bracket included



### Radio-frequency remote

- · Suitable for all Westinghouse ceiling fans (except hugger models)
- · On/off switch for rotation, four speed levels
- · On/off switch for light, no dimmer function
- · Timer function
- · Touchscreen operation
- · Battery-operated (4 AAA 1.5V batteries, not included)
- · Receiver and wall bracket included





### Radio-frequency remote 77874

- · Suitable for all Westinghouse ceiling fans (except hugger models)
- · On/off switch for rotation, four speed levels
- · On/off switch for light, no dimmer function
- · Temperature timer and clock timer included
- · LCD display
- · Battery-operated (4 AAA 1.5V batteries, not included)
- · Receiver and wall bracket included

With temperature control & timer



### Wall Control 78801

- $\cdot$  Suitable for use with all Westinghouse ceiling fans
- $\cdot$  4-Speed and off control for fan
- · On/off control for light




### Wall Control 78800

- $\cdot$  Suitable for use with all Westinghouse ceiling fans
- $\cdot$  4-Speed and off control for fan


### **Down Rods**





	Finish	Item	Length
А	Silver	65643	30,5 cm/12"
Α	Silver	65644	46 cm/18"
В	Satin chrome	65646	30,5 cm/12"
В	Satin chrome	65647	46 cm/18"
С	Brushed nickel	65649	30,5 cm/12"
С	Brushed nickel	65650	46 cm/18"
D	Dark-pewter	65763	30,5 cm/12"
D	Dark-pewter	65764	46 cm/18"
Е	Antique brass	78864	30,5 cm/12"
E	Antique brass	78865	46 cm/18"
F	Brushed aluminum	78867	30,5 cm/12"
F	Brushed aluminum	78868	46 cm/18"
G	Titanium	78870	30,5 cm/12"
G	Titanium	78871	46 cm/18"
Н	White	78876	30,5 cm/12"
Н	White	78877	46 cm/18"
I	Polished brass	78882	30,5 cm/12"
I	Polished brass	78883	46 cm/18"
J	Chrome	78885	30,5 cm/12"
J	Chrome	78886	46 cm/18"
K	Satin brass	78888	30,5 cm/12"
K	Satin brass	78889	46 cm/18"







## Yucon I

72715

Fan finish: black/silver
Metal housing, grille and stand
Blade material ABS plastic
Oscillation angle up to 80°
Basket/blade diameter: 55/50 cm
Maximum height: 135 cm
Height adjustable up to 28 cm
Manual control

## Yucon II

72716

Fan finish: black/silver
Metal housing, grille and stand
Blade material ABS plastic
Resilet / blade diameters 57.5 / 50.0

Basket/blade diameter: 53,5/50 cm

Maximum height: 60 cm

Manual control



## Highland I

72723



## **Specification**

Model	Name	Size	Fan Control	Remote Control	Wall Control	Winter Operation	Blade Pitch	Motor Size	Wattage
72154	Everett	52"/132 cm	Pull Chain	/	x	х	11°	153 x 12 mm	60/46/39
72161	Solana	48"/122 cm	Remote Control Included	х	х	х	12°	153 x 17 mm	47,1/32,2/13,6
72185	Vegas	42"/105 cm	Pull Chain	х	х	х	11°	153 x 9 mm	47,4/39,6/37
72220	Bendan	52"/132 cm	Remote Control Included	х	х	х	12°	153 x 15 mm	60/35/20
72268	Industrial	56"/142 cm	Wall Control Included	х	x	х	8°	172 x 12 mm	63/40/23/10
72272	Vegas	42"/105 cm	Pull Chain	x	x	х	11°	153 x 9 mm	47,4/39,6/37
72289	Jet I	42"/105 cm	Pull Chain	х	×	х	14°	153 x 12 mm	47,4/33,8/ 30,0
72290	Jet Plus	42"/105 cm	Remote Control Included	х	x	х	14°	153 x 12 mm	40/34/32
72368	Jasmine	42"/105 cm	Remote Control Included	x	x	х	12°	153 x 12 mm	54/22/10
72415	Princess Radiance II	36"/90 cm	Pull Chain	x	x	х	18°	153 x 12 mm	43,5/36,2/ 33,8
72485	Comet Tiffany	52"/132 cm	Pull Chain	x	х	х	12°	153 x 15 mm	63/42/28
72501	Industrial	56"/142 cm	Wall Control Included	х	×	х	8,5°	153 x 17 mm	61,8/51,1/ 26,6/11,0
72505	Celestia II	48"/122 cm	Remote Control Included	х	×	х	12°	153 x 15 mm	50,2/25,6/12
72530	Celestia	44"/112 cm	Remote Control Included	х	/	х	12°	153 x 12 mm	51/33/19
72546	Havanna	52"/132 cm	Remote Control Included	х	x	х	12°	153 x 15 mm	59/39/18
72557	Bendan	52"/132 cm	Remote Control Included	х	x	х	12°	153 x 15 mm	60/35/20
72559	Arius	52"/132 cm	Remote Control Included	x	х	х	12°	153 x 15 mm	59/35/20
72564	Bendan	52"/132 cm	Remote Control Included	x	х	х	12°	153 x 15 mm	60/35/20
72598	Cumulus	48"/122 cm	Remote Control Included	x	х	х	12°	153 x 15 mm	49,1/26,3/13,5
72599	Lenerco	52"/132 cm	Remote Control Included	x	х	х	13°	125S DC motor	34/25,4/15,5/ 9,6/5,7/4
78001	Delancey	52"/132 cm	Remote Control Included	x	х	х	13°	125S DC motor	26,0/17,0/10,0/ 6,0/3,6/2,3
78006	Combo	52"/132 cm	Remote Control Included	x	x	х	13°	153 x 17 mm	65/18/9,0
78007	Lavada	48"/122 cm	Remote Control Included	x	x	х	12°	153 x 17 mm	46,2/26,9/14,1
78008	FANtastic	52"/132 cm	Remote Control Included	х	x	х	13°	125S DC motor	27/19/12,2/8,5/ 4,1/3,0
78010	Athena	42"/105 cm	Remote Control Included	х	х	х	12°	153 x 12 mm	57,3/24,4/12
78014	Hercules Surpreme	52"/132 cm	Remote Control Included	х	х	х	12°	153 x 15 mm	62,6/24,6/12
78017	Comet	52"/132 cm	Pull Chain	х	х	х	11°	153 x 15 mm	58/40/26

#### \*2-installation system:


The rod included in the package can be left out in order to reduce the distance between the ceiling and the bottom end of the lamp or blades. This is recommended in rooms with low ceilings, for instance.

### \*\*Intermediate rod only:

During installation, be sure to use the intermediate rod included in the package. Depending on the model, you can also use a 12''/30.5 cm or 18''/46 cm extension rod.

### **SPECIFICATIONS**

- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit



RPM	Amps	Net Weight	Installation	12"(30,5 cm)/18" (46 cm) down rods?	А	В	С	D	E	F
173/135/85	0,258/0,208/0,227	5,3 kg	Hugger***	No	20	18	/	29	/	32
225/181/105	0,26/0,29/0,25	7,0 kg	Down rods only**	No	30	28	5	19	16	36
210/162/110	0,208/0,184/0,191	4,5 kg	Dual Mount system*	Yes	26	32	6	17	13	42
175/124/80	0,286/0,289/0,257	7,6 kg	Down rods only**	Yes	26	31	6	26	13	38
250/210/150/90	0,28/0,22/0,17/0,11	6,3 kg	Down rods only**	Yes	35	/	6	20	13	38
210/162/110	0,208/0,184/0,191	4,5 kg	Dual Mount system*	Yes	26	32	6	17	13	42
218/158/110	0,214/0,149/0,150	4,8 kg	Down rods only**	Yes	18	29	6	17	13	/
280/230/185	0,18/0,15/0,16	6,4 kg	Down rods only**	Yes	18	29	6	17	13	37
240/180/120	0,24/0,26/0,22	6,4 kg	Down rods only**	Yes	30	31	6	22	13	42
235/175/125	0,19/0,16/0,18	5,3 kg	Dual Mount system*	Yes	22	32	6	17	13	44
160/110/65	0.28/0.18/0.12	5,7 kg	Dual Mount system*	Yes	31	27	6	29	15	38
213/192/138/91	0,29/0,26/0,19/0,13	7,3 kg	Down rods only**	Yes	44	50	6	19	13	/
231/149/90	0,399/0,365/0,303	8,0 kg	Hugger***	No	24	28	12	25	15	35
225/150/65	0,23/0,15/0,10	7,2 kg	Hugger***	No	23	27	12	25	15	35
208/156/98	0,21/0,23/0,18	8,5 kg	Down rods only**	Yes	27	30	6	25	13	34
175/124/80	0,286/0,289/0,257	7,6 kg	Down rods only**	Yes	26	31	6	26	13	38
178/110/51	0,24/0,18/0,01	9.5 kg	Dual Mount system*	No	27	33	6	28	13	42
175/124/80	0,286/0,289/0,257	7,6 kg	Down rods only**	Yes	26	31	6	26	13	38
195/145/90	0,21/0,15/0,11	9,2 kg	Down rods only**	No	43	49	7	19	13	54
199/179 /146/11 5/83/51	0,04/0,055/0,08/0,112/ 0,187/0,269/0,028	9,0 kg	Down rods only**	No	28	32	5	20	15	41
190/160/130/ 104/78/50	0,188/0,140/0,10/0,06//0,0 42/0,028	7,2 kg	Down rods only**	Yes	31	32	5	20	16	39
190/90/60	0,36/0,289/0,232	8,4 kg	Three Mount sys- tem****	Yes	33 21	36 24	6 n/a	21 21	15 n/a	44 32
190/145/100	0,201/0,188/0,152	6,8 kg	Down rods only**	Yes	21	30	5	20	15	33
180/160/130/ 105 /78/50	0,18/0,13/0,09/0,05/ 0,035/0,028	8,5 kg	Down rods only**	Yes	32	34	5	26	15	40
234/162/104	0,250/0,180/0,131	6,0 kg	Down rods only**	Yes	32	/	6	18	13	46
170/104/65	0,272/0,186/0,134	7,9 kg	Dual Mount system*	Yes	33	/	6	27	13	43
180/130/80	0,25/0,18/0,12	8,0 kg	Dual Mount system*	Yes	31	/	6	29	15	38

### \*\*\*Hugger:

This ceiling fan cannot be retrofitted with an extension rod.

### \*\*\*\*3-installation system:

The device can be installed directly below the ceiling using a special "hugger" bracket (included). Alternatively, it is installed with or without the intermediate rod.

## **Specifications**

Model	Name	Size	Fan Control	Remote Control	Wall Control	Winter Operation	Blade Pitch	Motor Size	Wattage
78065	Kingston	42"/105 cm	Pull Chain	х	х	x	12°	153 x 12 mm	55/35/26
78158	Turbo Swirl	30"/76 cm	Pull Chain	х	х	x	18°	153 x 12 mm	53/37/26
78171	Monarch Trio	52"/132 cm	Pull Chain	х	x	×	11°	153 x 15 mm	58/40/26
78174	Airplane	42"/105 cm	Pull Chain	х	х	х	12°	153 x 12 mm	48/34/24
78182	Comet	52"/132 cm	Pull Chain	х	х	x	11°	153 x 15 mm	58/40/26
78199	Princess Trio	42"/105 cm	Pull Chain	х	х	х	11°	153 x 10 mm	45/32/23
78261	Jet II	42"/105 cm	Pull Chain	х	х	х	14°	153 x 12 mm	49/35/32
78263	Industrial	48"/122 cm	Pull Chain	х	х	х	11°	172 x 10 mm	55/35/23
78264	Nevada	42"/105 cm	Pull Chain	x	х	x	12°	153 x 12 mm	48/29/24
78265	Princess Trio	42"/105 cm	Pull Chain	х	х	х	12°	153 x 15 mm	55/36/23
78266	Portland Ambiance EL	42"/105 cm	Pull Chain	x	х	х	12°	145 x 12 mm	44/36/30
78268	Monarch	48"/122 cm	Pull Chain	x	х	х	11°	153 x 15 mm	58/38/26
78269	Monarch	48"/122 cm	Pull Chain	x	х	x	11°	153 x 15 mm	58/38/26
78270	Techno	52"/132 cm	Remote Control Included	х	x	х	13°	153 x 17 mm	51/26/11
78274	Capitol	42"/105 cm	Pull Chain	х	х	х	11°	153 x 9 mm	42/35/32
78321	Portland Ambiance	36"/90 cm	Pull Chain	х	х	х	11°	153 x 10 mm	44/30/21
78324	Princess Trio	42"/105 cm	Pull Chain	х	х	x	12°	153 x 12 mm	45/32/23
78337	Industrial	48"/122 cm	Pull Chain	х	х	х	11°	172 x 10 mm	52/35/25
78370	Cyclone	52"/132 cm	Pull Chain	х	х	х	12°	153 x 15 mm	58/40/26
78425	Pearl	42"/105 cm	Pull Chain	х	х	х	12°	153 x 12 mm	55/35/26
78525	Audubon	48"/122 cm	Pull Chain	х	х	х	12°	153 x 15 mm	52/35/25
78545	Hercules	52"/132 cm	Pull Chain	х	х	х	12°	153 x 15 mm	60/41/28
78622	Princess Euro	42"/105 cm	Pull Chain	х	х	х	11°	153 x 10 mm	43/30/28
78623	Industrial	56"/142 cm	Wall Control Included	х	х	х	8,5°	153 x 17 mm	61,8/51,1/ 26,6/11,0
78673	Turbo II	30"/76 cm	Pull Chain	х	х	х	18°	153 x 12 mm	53/37/26
78753	Helix Fusion	52"/132 cm	Pull Chain	х	х	х	12°	153 x 15 mm	58/40/26
78763	Wengue	30"/76 cm	Pull Chain	х	х	х	18°	153 x 10 mm	40/34/32
78764	Alloy	42"/105 cm	Pull Chain	х	х	х	14°	153 x 12 mm	47,4/33,8/30,0
78788	Flora Royale	30"/76 cm	Pull Chain	x	х	x	18°	153 x 12 mm	54/38/27

### \*2-installation system:


The rod included in the package can be left out in order to reduce the distance between the ceiling and the bottom end of the lamp or blades. This is recommended in rooms with low ceilings, for instance.

#### \*\*Intermediate rod only:

During installation, be sure to use the intermediate rod included in the package. Depending on the model, you can also use a 12''/30.5 cm or 18''/46 cm extension rod.

### **SPECIFICATIONS**

- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit



RPM	Amps	Net Weight	Installation	12"(30,5 cm)/18" (46 cm) down rods?	А	В	С	D	Е	F
230/168/110	230/168/110	6,2 kg	Dual Mount system*	Yes	33	31	6	24	13	38
250/190/130	0,23/0,16/0,11	5,7 kg	Dual Mount system*	Yes	19	28	6	17	13	38
175/120/75	0,25/0,18/0,12	6,5 kg	Dual Mount system*	Yes	25	38	6	25	13	40
250/200/150	0,21/0,15/0,11	4,2 kg	Dual Mount system*	Yes	25	38	6	25	13	40
180/130/80	0,25/0,18/0,12	8,0 kg	Dual Mount system*	Yes	31	/	6	29	15	38
210/145/85	0,2/0,14/0,1	4,8 kg	Dual Mount system*	Yes	23	32	6	17	13	46
220/169/123	0,28/0,17/0,17	4,4 kg	Down rods only**	Yes	18	29	6,8	17	13	n/a
260/195/135	0,23/0,19/0,18	5,5 kg	Down rods only**	Yes	25	36	6	20	13	/
215/165/115	0,23/0,13/0,12	5,1 kg	Dual Mount system*	Yes	30	34,5	6,8	24	13	n/a
230/170/110	0,24/0,16/0,11	5,1 kg	Dual Mount system*	Yes	27,5	32	6	17	13	43
215/160/100	0,21/0,18/0,17	3,8 kg	Down rods only**	Yes	20	30	6	17	13	43
175/125/75	0,26/0,17/0,12	5,8 kg	Down rods only**	Yes	27,5	34	6	28	13	n/a
175/125/75	0,26/0,17/0,12	5,8 kg	Down rods only**	Yes	27,5	34	6	28	13	n/a
220/170/90	0,21/0,155/0,101	6,73 kg	Down rods only**	Yes	23,6	28	5	21	15,5	32
210/155/115	0,195/0,129/0,124	4,9 kg	Down rods only**	Yes	25	28	7	17	13	41
250/190/110	0,19/0,12/0,1	4,3 kg	Down rods only***	Yes	15	30	6	15	13	43
210/145/85	0,2/0,14/0,1	5,0 kg	Dual Mount system*	Yes	23	32	6	17	13	46
240/165/115	0,23/0,19/0,18	5,5 kg	Down rods only**	Yes	25	37	6	20	13	/
180/130/80	0,25/0,18/0,12	6,3 kg	Dual Mount system*	Yes	29	34	6	28	13	/
235/170/110	0,23/0,15/0,11	4,9 kg	Dual Mount system*	Yes	28	30	6	19	13	38
240/165/115	0,26/0,18/0,12	6,0 kg	Dual Mount system*	Yes	29	30	6	22	13	39
170/125/75	0,26/0,18/0,12	8,1 kg	Dual Mount system*	Yes	34	/	6	27	13	41
220/150/85	0,2/0,14/0,1	5,0 kg	Dual Mount system*	Yes	26	31	6	17	13	40
213/192/138/91	0,29/0,26/0,19/0,13	7,3 kg	Down rods only**	Yes	44	50	6	19	13	/
250/190/130	0,23/0,16/0,11	6,5 kg	Dual Mount system*	Yes	19	28	6	17	13	38
175/125/80	0,25/0,18/0,12	7,7 kg	Dual Mount system*	Yes	26	30	6	27	13	44
280/230/185	0,18/0,15/0,16	5,45 kg	Down rods only**	Yes	23	26	6	17	13	31
218/158/110	0,214/0,149/0,150	6,5 kg	Down rods only**	Yes	18	28	6	17	13	30
240/180/120	0,23/0,17/0,12	5,3 kg	Dual Mount system*	Yes	22	/	6	17	13	38

### \*\*\*Hugger:

This ceiling fan cannot be retrofitted with an extension rod.

### \*\*\*\*3-installation system:

The device can be installed directly below the ceiling using a special "hugger" bracket (included). Alternatively, it is installed with or without the intermediate rod.

## Index

### **Ceiling Fans**

<b>72154</b> Everett	.40
<b>72161</b> Solana	15
<b>72185</b> Vegas	.48
<b>72220</b> Bendan	.20
72268 Industrial	.54
<b>72272</b> Vegas	.48
<b>72289</b> Jet I	
<b>72290</b> Jet Plus	
72368 Jasmine	
72415 Princess Radiance II	
72485 Comet Tiffany	.45
72501 Industrial	
72505 Celestia II	
<b>72530</b> Celestia	
<b>72546</b> Havanna	
<b>72557</b> Bendan	
<b>72559</b> Arius	
<b>72564</b> Bendan	
<b>72598</b> Cumulus	
72599 Lenerco	
<b>78001</b> Delancey	
<b>78006</b> Combo	
78007 Lavada	
<b>78008</b> FANtastic	
<b>78010</b> Athena	
78014 Hercules Supreme	
78017 Comet	
78065 Kingston	
<b>78158</b> Turbo Swirl	
<b>78171</b> Monarch Trio	
<b>78174</b> Airplane	
78182 Comet	
<b>78199</b> Princess Trio	
<b>78261</b> Jet II <b>78263</b> Industrial	
<b>78264</b> Nevada <b>78265</b> Princess Trio	
78266 Portland Ambiance EL	
78268 Monarch	
<b>78269</b> Monarch <b>78270</b> Techno	
78274 Capitol	
78321 Portland Ambiance	
78324 Princess Trio	
78337 Industrial	
78370 Cyclone	
78425 Pearl	
<b>78525</b> Audubon	. 2/

<b>78545</b> Hercules	31
<b>78622</b> Princess Euro	34
<b>78623</b> Industrial	55
78673 Turbo II	51
<b>78753</b> Helix Fusion	25
78763 Wengue	
<b>78764</b> Alloy	
<b>78788</b> Flora Royale	
Accessories for Ceiling Fans	
Remote & Wall Controls	
77841 Radiofrequency-Remote Control	56
77843 Infrared-Remote Control	
77874 Radiofrequency-Remote Control	
78792 Infrared-Remote Control	
78801 Wall Control	
78801 Wall Control	57
Down Dods	
Down Rods	
	57
<b>65643</b> Silver; 30,5 cm/12"	
<b>65643</b> Silver; 30,5 cm/12"	57
<b>65643</b> Silver; 30,5 cm/12"	57 57
<b>65643</b> Silver; 30,5 cm/12"	57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57 57 57 57 57 57
65643 Silver; 30,5 cm/12"	57 57 57 57 57 57 57 57 57 57 57 57 57 57

### Stand/Floor Fans

<b>72715</b> Yucon I	60
72716 Yucon II	60
72723 Highland I	61





Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee Krefelder Straße 562, D-41066 Mönchengladbach, Germany Tel.: (0049)-(0)-2161-57307-0 www.westinghouselighting.eu www.westinghouselighting.de

International Headquarters 12401 McNulty Road, Philadelphia, Pennsylvania U.S.A. 19154-1029 Tel. - (001) (215) 671-2000 www.westinghouselighting.com

